

Item Specification

Maintenance Lumber and Related Materials **Cycle No:** 11

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
3619		LUMBER WOLMANIZED 4" X 4" X 8' PRESSURE TREATED 0.21 CA-B OR 0.4 ACQ, SOUTHERN YELLOW PINE, S4S FOR GROUND CONTACT ONLY #1 GRADE ACCEPTED	200	EACH				
3620		TIMBERS WOLMANIZED 6" X 6" X 8' TIMBERS SHALL BE #2 GRADE OR BETTER, STRAIGHT AND TRUE FOR A USEFULL LIFE OF 20 YEARS, DRESSED, NO WANE, NO ROT OR EVIDENCE OF ROT. SOUTHERN YELLOW PINE PRESSURE TREATED TO A RETENTION OF 0.31 CA-B OR 0.6 ACQ *TIMBERS SHALL MEET AMERICAN WOOD PRESERVERS ASSOC AND ALL FEDERAL STANDARDS **CERTIFICATION OF PRODUCT COMPLIANCE TO SPECIFICATIONS MUST BE PROVIDED WITH THE BID	300	EACH				
3621		LUMBER WOLMANIZED 2" X 4" X 8' PRESSURE TREATED 0.10 CA -B OR 0.25 ACQ, SOUTHERN YELLOW PINE, S4S FOR GROUND CONTACT ONLY #1 GRADE ACCEPTED	200	EACH				

Item Specification

Maintenance Lumber and Related Materials **Cycle No:** 11

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
3622		LUMBER WOLMANIZED 2" X 4" X 10' PRESSURE TREATED 0.10 CA -B OR 0.25 ACQ, SOUTHERN YELLOW PINE, S4S FOR GROUND CONTACT ONLY #1 GRADE ACCEPTED	200	EACH				
3623		LUMBER WOLMANIZED 2"X4"X 12' PRESSURE TREATED 0.10 CA -B OR 0.25 ACQ, SOUTHERN YELLOW PINE, S4S ONLY #1 GRADE ACCEPTED	200	EACH				
3624		LUMBER WOLMANIZED 2"X 6"X 8' PRESSURE TREATED 0.10 CA -B OR 0.25 ACQ, SOUTHERN YELLOW PINE, S4S ONLY #1 GRADE ACCEPTED	200	EACH				
3625		LUMBER WOLMANIZED 2"X6"X 10' PRESSURE TREATED 0.10 CA -B OR 0.25 ACQ, SOUTHERN YELLOW PINE, S4S ONLY #1 GRADE ACCEPTED	200	EACH				
3626		LUMBER SPF (SPRUCE, PINE, FIR) 2" X 4" X 8' #2 OR BETTER, KILN DRIED	200	EACH				
3627		LUMBER SPF (SPRUCE, PINE, FIR) 2" X 4" X 10' #2 OR BETTER, KILN DRIED	200	EACH				

Item Specification

Maintenance Lumber and Related Materials **Cycle No:** 11

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
3628		LUMBER SPF (SPRUCE, PINE, FIR) 2" X 4" X 12' #2 OR BETTER, KILN DRIED	100	EACH				
3638		REDWOOD 1" X 10" X 10'	150	EACH				
3645		PLYWOOD GROOVES 8" OC PINE 19/32" X 4' X 8' T-1-11 *MUST MEET AMERICAN PLYWOOD ASSOCIATION OR U.S. PRODUCT #PS-1 STANDARDS	100	EACH				
3646		OSB 4 X 8 X 7/16" EXTERIOR	500	SHT				
3656		CAULKING 100% SILICONE CLEAR 10.5 OZ TUBE AS DOW	144	EACH				
3657		CAULKING 100% SILICONE BROWN 10.5 OZ TUBE AS DOW	144	EACH				
3658		CAULKING 100% SILICONE BRONZE 10.5 OZ TUBE AS DOW	144	EACH				
3659		CAULKING LEXEL CLEAR 10.5 OZ TUBE	144	EACH				

Item Specification

Maintenance Lumber and Related Materials **Cycle No:** 11

Company Name: _____

Group/ Seq No	Item/ Whse/ Ord	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	3660	ADHESIVE CONSTRUCTION 10.5 OZ TUBE ONLY PL 200 WILL BE CONSIDERED	144	EACH				
	3662	SCREEN ALUMINUM 3' X 100' VARIOUS COLORS	6	EACH				
	3663	SCREEN ALUMINUM 4' X 100' VARIOUS COLORS	3	EACH				
	3664	SCREEN FIBERGLASS 3' X 100' VARIOUS COLORS	3	EACH				
	3665	GLUE WOOD PROFESSIONAL CARPENTRY 8 OZ ONLY TITEBOND INTERIOR/EXTERIOR GRADE	30	EACH				
	3666	GLUE WOOD PROFESSIONAL 1 GALLON CONTAINERS ONLY TITEBOND INTERIOR/EXTERIOR GRADE WILL BE ACCEPTED AT THIS TIME	6	EACH				
	3667	PLASTIC CLEAR POLYETHYLENE 6 MIL 20' X 100'	12	ROLL				
	3669	INSULATION FIBERGLASS KRAFT VAPOR BARRIER 3 1/2" X 15" X 70.5' (135 SQ FT PER ROLL)	35	ROLL				

Item Specification

Maintenance Lumber and Related Materials **Cycle No: 11**

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	3673	MOLDING WOOD FINGER JOINT 1000 LIN FT		PERCI				
		% OFF LIST _____						
		ESTIMATED ANNUAL USAGE \$5000						
16-10-023	18932	PLYWOOD BIRCH GRADE B-4 4'X8X1/4" 3 PLY	20	SHT				
	23059	LUMBER WOLMANIZED 4"x 4" x 10' PRESSURE TREATED 0.21 CA-B OR 0.4 ACQ, SOUTHERN YELLOW PINE, S4S	300	EACH				
		FOR GROUND CONTACT						
		ONLY #1 GRADE ACCEPTED						
	23060	PLYWOOD, BIRCH, GRADE A-2, 4' X 8' X 3/4" LUMBER CORE	600	SHT				

Item Specification

Maintenance Lumber and Related Materials **Cycle No:** 11

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
28975		TIMBERS WOLMANIZED 6" X 6" X 10' TIMBERS SHALL BE #2 GRADE OR BETTER, STRAIGHT AND TRUE FOR A USEFULL LIFE OF 20 YEARS, DRESSED, NO WANE, NO ROT OR EVIDENCE OF ROT. SOUTHERN YELLOW PINE PRESSURE TREATED TO A RETENTION OF 0.31 CA-B OR 0.6 ACQ *TIMBERS SHALL MEET AMERICAN WOOD PRESERVERS ASSOC AND ALL FEDERAL STANDARDS **CERTIFICATION OF PRODUCT COMPLIANCE TO SPECIFICATIONS MUST BE PROVIDED WITH THE BID	200	EACH				
28977		TIMBERS WOLMANIZED 6" X 6" X 12' TIMBERS SHALL BE #2 GRADE OR BETTER, STRAIGHT AND TRUE FOR A USEFULL LIFE OF 20 YEARS, DRESSED, NO WANE, NO ROT OR EVIDENCE OF ROT. SOUTHERN YELLOW PINE PRESSURE TREATED TO A RETENTION OF 0.31 CA-B OR 0.6 ACQ *TIMBERS SHALL MEET AMERICAN WOOD PRESERVERS ASSOC AND ALL FEDERAL STANDARDS **CERTIFICATION OF PRODUCT COMPLIANCE TO SPECIFICATIONS MUST BE PROVIDED WITH THE BID	100	EACH				
28983		LUMBER WOLMANIZED 2"X6"X12' PRESSURE TREATED0.10 CA -B OR 0.25 ACQ, SOUTHERN YELLOW PINE, S4S ONLY #1 GRADE ACCEPTED	200	EACH				

Item Specification

Maintenance Lumber and Related Materials Cycle No: 11

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
28985		LUMBER WOLMANIZED 2"X6"X16' PRESSURE TREATED 0.10 CA -B OR 0.25 ACQ, SOUTHERN YELLOW PINE, S4S ONLY #1 GRADE ACCEPTED	100	EACH				
28987		LUMBER SPF (SPRUCE, PINE, FIR) 2" X 4" X 14' #2 OR BETTER, KILN DRIED	100	EACH				
28989		PLYWOOD GROOVES 8" OC PINE 19/32" X 4' X 10' T-1-11 *MUST MEET AMERICAN PLYWOOD ASSOCIATION OR U.S. PRODUCT #PS-1 STANDARDS	50	EACH				
28991		ADHESIVE 10.5 OZ. TUBE ONLY LIQUID NAIL WILL BE CONSIDERED	144	EACH				
28995		PLYWOOD LUAUN LUMBER CORE 4' X 8" X 3/4'	50	SHT				
32427		SIDING, PRIMED, 4' X 8' X 5/16" AS HARDIPLANK	50	EACH				
32428		SIDING, PRIMED, 4' X 10' X 5/16" AS HARDIPLANK	50	EACH				