

**Company Name:** \_\_\_\_\_

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
06-11-094	39051	ATOMIC CLOCK, DIGITAL 9"-12"; RADIO CONTROLLED, BATTERY OPERATED WITH ATTACHED WALL MOUNT BRACKET. LCD DISPLAY WITH LARGE 2.5"-4" BLACK DIGITS. ADJUSTS TO EXACT TIME AUTOMATICALLY WITH MANUAL SETTING OPTION. ACCURATE TO 1/10,000 OF A SECOND PER THE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY UTC. FUNCTIONALITY TO INCLUDE: NO LESS THAN FOUR (4) U.S. TIME ZONE CHOICES; AUTOMATIC DAYLIGHT SAVINGS TIME ADJUSTMENT; CALENDAR/DATE, AND INDOOR TEMPERATURE.  LIST AVAILABLE CASE COLORS: _____  AS: LA CROSSE WT-8005U-B; WS-8418U-IT	2000	Each				
3727		WALL CLOCK 12"-14" DIAL EXPOSURE SYNCHRONOUS MOTOR DRIVE 115 VOLT, SURFACE TYPE PROJECTION FROM WALL ELECTRIC WITH 18" CORD AND BRACKET SO IT CAN EASILY BE ATTACHED TO A WALL, CASE PUTTY, FACE WHITE BLACK PRINTING NUMBERS ARABIC AND EASILY READABLE FROM DISTANCE OF 50 FEET, 12 HOUR DIAL, SWEEP SECOND HAND, LENS MAY BE GLASS BUT NON-YELLOWING PLASTIC IS PREFERRED, WALL MOUNTING HANGER TO BE PART OF CASE, SUSPENSION FROM OR PART OF WORKS CASE IS UNACCEPTABLE, ELECTRICAL PLUG TO FIT NORMAL WALL PLUG AND RECESSED CLOCK PLUG. UNITS SHALL BE DESIGNED TO GIVE SATISFACTORY PERFORMANCE FOR MINIMUM OF FIVE (5) YEARS.  AS: Chicago Light 67300102	25	EACH				

Item Specification  
Clocks

Bid No: 4050  
Cycle No: 11

From: 07/09/2025  
To: 06/30/2026

**Company Name:** \_\_\_\_\_

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	3728	WALL CLOCK 12" - 14" ANALOG, QUARTZ MOVEMENT. SURFACE TYPE PROJECTION FROM WALL, BATTERY OPERATED WITH BRACKET SO IT CAN EASILY BE ATTACHED TO A WALL, CASE PUTTY, FACE WHITE BLACK PRINTING NUMBERS ARABIC AND EASILY READABLE FROM DISTANCE OF 50 FEET, 12 HOUR DIAL, SWEEP SECOND HAND, LENS MAY BE GLASS BUT NON-YELLOWING PLASTIC IS PREFERRED, WALL MOUNTING HANGER TO BE PART OF CASE, SUSPENSION FROM OR PART OF WORKS CASE IS UNACCEPTABLE, UNITS SHALL BE DESIGNED TO GIVE SATISFACTORY PERFORMANCE FOR MINIMUM OF FIVE (5) YEARS. POWERED BY ALKALINE BATTERY AND HAVE A MINIMUM RUN PERIOD OF 18 MONTHS BATTERY OPERATED MECHANISMS SHALL RUN ACCURATELY TO + 1 MINUTE PER YEAR AND SHALL NOT RUN SLOW AS VOLTAGE DIMINISHES, BUT SHALL STOP AT A POINT OF MINIMUM VOLTAGE.	25	EACH				

AS: Equity 25509

Item Specification  
Clocks

Bid No: 4050  
Cycle No: 11

**Company Name:** \_\_\_\_\_

Group/ Seq No	Item/ Whse/ Qty	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	39048	ATOMIC WALL CLOCK, ANALOG 12"-14" ROUND; RADIO CONTROLLED, BATTERY OPERATED; WALL MOUNT BRACKET ATTACHED TO CASE. FACE WHITE WITH BLACK PRINTED ARIBIC NUMBERS. PLASTIC NON-YELLOWING LENS PREFERRED. ADJUSTS TO EXACT TIME AUTOMATICALLY WITH MANUAL SETTING OPTION. ACCURATE TO 1/10,000 OF A SECOND PER THE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY UTC. FUNCTIONALITY TO INCLUDE NO LESS THAN FOUR (4) U.S. TIME ZONE CHOICES; AND AUTOMATIC DAYLIGHT SAVINGS TIME ADJUSTMENT.  LIST AVAILABLE CASE COLORS: _____  AS: LA CROSSE WT-3143A	25	Each				