Item Specification

Art Equipment

Bid No: 4081

Cycle No: 10

From: 10/15/2019

08/21/2019

To: 10/14/2020

Page 1 of 11

5030

Company Name:

17856 CUTTER, PAPER, 30" X 30", HEAVY DUTY WITH GUIDE AND SAFETY GUARD TABLE TOP MODEL, HANDLE EQUIPPED WITH TENSION SPRING BLADE 1/8" GRADUATION MEASURING RULE AND 1/2" SQUARE MARKINGS	AS EDSAL SC3024	17855 CART STOCK, 36" X 24" X 32", CONSTRUCTED OF 16 GAUGE METAL, FINISHED IN GREY BAKED ENAMEL, 3 SHELVES WITH 3" SIDES, 5" SOFT RUBBER WHEELED CASTERS	AS EDSAL SC3016	17854 CART, STOCK 3 SHELVES WITH 3" SIDES TO PREVENT OBJECTS FROM ROLLING OFF 5" RUBBER WHEEL CASTERS, OVERALL DIMENSIONS 30"L X 16"W X 32"H	AS SAFCO #4995-C	17853 CABINET BASE, FLAT FILE, 16 GAUGE FOR ITEM #17852	AS SAFCO #4494-C	17852 CABINET, FLAT FILE 5 DRAWER UNIT DRAWER DIMENSIONS 40 3/4"WX15 3/8"HX28 3/8"DX2" DRAWER DEPTH, ROLLERS/CORNERS 14 GAUGE, SIDES 16 GAUGE, METAL DICAST HANDLES SPECIFY COLORS:	Group/ Item/ Group/ Whse/ Seq No Old Description
10 EACH		5 EACH		5 EACH		6 EACH		12 EACH	Quantity Bid Un to Bid Unit Pric
									iit ce Brand
									Model
									Specification Deviations

AS INGENTO 1172

Item Specification Art Equipment

Bid No: 4081

<u>From:</u> 10/15/2019 <u>To:</u> 10/14/2020

08/21/2019 Page 2 of 11

5030

Cycle No: 10

	Com
1	K
1	_
1	യ
	=
	_
	_
	•
	_
	_
	~
	שנ
	~
	=
	\equiv
	Ü
ı	"
ı	
- 1	
- 1	

							Group/ Seq No
17866		17863		17862		17857	Item/ Whse/ Old
17866 EASEL, TABLE TOP, ALUMINUM, HOLDS 20" X 24" CANVAS	AS RUBBERMAID 2650	DOLLY, CAN, 200 LB. CAPACITY MINIMUM INSIDE DIAMETER 18 1/2" CONSTRUCTED OF HEAVY GAUGE STEEL WITH FORMED CIRCULAR RIMS AND WELDED CROSS BRACES 4 BALL BEARING SWIVEL CASTERS WITH 2" MINIMUM DIAMETER WHEELS	AS DAHLE 556	CUTTER, PAPER, ROTARY 37 3/4" CUTTING LENGTH. CONCEALED SELF SHARPENING CUTTING WHEEL CUTTING CAPACITY OF UP TO 14 SHEETS OF PAPER. SOLID METAL GUIDE BAR & BASE, AUTOMATICALLY CLAMPS MATERIAL TO BASE BOARD WHILE CUTTING.	AS INGENTO 1184	17857 CUTTER, PAPER, 36" X 30" FLOOR MODEL SOLID WOOD WITH LACQUER FINISH, 1/2 GRID, PRECISION RULER IN ENGLISH AND METRIC, HEAVY DUTY WITH GUIDE AND SAFETY GUARD	Description
15		4		ري د		10	Quantity to Bid
EACH		EACH		EACH		EACH	Bid Unit
		-					Unit Price
							Brand
							Model
							Specification Deviations

AS TESTRITE 151

Item Specification

Art Equipment

Bid No: 4081

From: 10/15/2019

Page 3 of 11 08/21/2019

Cycle No: 10

To: 10/14/2020

5030

17870 KILN CERAMIC TOP LOADING FLOOR MODEL FIRING CHAMBER OF 2.95 CUBIC FT. TO BE	Item/ Whse/ Old Description
NG FLOOR MODEL CUBIC FT. TO BE	
ហ	Quantity to Bid
EACH	Bid Unit

Price Unit

Brand

Model

Specification Deviations

Group/ Seq No

Company Name:

15" ROUND, EIGHT 6" POSTS & STAND. VENDOR SHALL DELIVER, UNCRATE & ASSEMBLE KILN. LIMIT TIMER, KILN SITTER, 208V 30 AMP CAPACITY. THREE PRONG PLUG. TWO CERAMIC KILN SHELVES FOR ELECTRIC KILN INSULATED REFRACTORY BRICK, INCLUDES MECHENICAL TEMPERATURE CONTROLS

17871 STAND, REPLACEMENT FOR ITEM #17870 18" SQUARE 10" HIGH HOLDS KILNS UP TO 250 LBS.

AS PARAGON ST2

S EACH

^{*} VENDOR SHALL DELIVER, UNCRATE & ASSEMBLE KILN

^{**}ALL KILNS SHALL HAVE UL APPROVED PLUGS AVAILABLE EITHER 3 OR 4 PRONG. ORDERS WILL SPECIFY WHEN 4 PRONG PLUGS ARE REQUIRED

ACCEPTED AT THIS TIME ***ONLY PARAGON TNF-82-3 WILL BE

Item Specification

Art Equipment

Bid No: 4081

Cycle No: 10

From: 10/15/2019 <u>10:</u> 10/14/2020

Page 4 of 11 08/21/2019

5030

Company Name:

	Group/ Seq No
17872 KILN, CERAMIC, TOP LOADING SOLID STAINLESS STEEL CASE, CAPACITY 7.05 CU. FT. OPERATES ON 208V AC SINGLE PHASE 60 CYCLES, 50 AMP. RATING W/2350 DEGREE F. ATTAINABLE, 6' 3 WIRE, 208V UL APPROVED CORD GROUNDED TO SHIELDING, EQUIPPED WITH DIGITAL CONTROLLER. 208V 2 FULL SIZE SHELVES & 2 HALF SIZE, TWELVE 2" SQUARE X 6" SHELF PROPS, 3 PRONG PLUG. UNCONDITIONALLY GUARANTEED BY MANUFACTURER AS TO PERFORMANCE & WORKMANSHIP FOR ONE YEAR FROM DATE OF INSTALLATION, GUARANTEE ALSO APPLIES TO SWITCHES & ELEMENTS.	Whse/ Old Description
ယ	Quantity to Bid
3 EACH	Bid Unit
	Unit Price
	Brand
	Model
	Specification Deviations

^{*} VENDOR SHALL DELIVER, UNCRATE & ASSEMBLE KILN

***ONLY L&L JD230-EZ WITH DIGITAL CONTROLLER WILL BE ACCEPTED AT THIS TIME

17877 RACK, PAPER ROLL, VERTICAL WITH 8
INDEPENDENT PAPER CUTTERS (8 ROLLS),
HOLDS UP TO 36" WIDE ROLLS, HEAVY DUTY
LOCKING CASTERS

S

EACH

AS BULMAN R999

17879 RACK, PAPER ROLL, HORIZONTAL WITH 8 CUTTERS, (8 ROLLS)

EACH

ი

AS BULMAN PRODUCTS R370-RKD

^{**}ALL KILNS SHALL HAVE UL APPROVED PLUGS AVAILABLE.

Item Specification

Art Equipment

Bid No: 4081

Cycle No: 10

From: 10/15/2019

Page 5 of 11 08/21/2019

5030

Specification <u>Deviations</u>

To: 10/14/2020

Company Name:

Group/ Seq No Item/ Whse/ Old 17883 WHEEL, POTTERS, W/SPLASH PAN, ELECTRIC 110 V. AC, VARIABLE SPEED, 1/3 H.P., SINGLE Description CONDUCTOR APPROVED CORD GROUNDED PHASE MOTOR, SHALL HAVE MIN. 6' 3 TO FRAME AND 3 PRONG GROUNDED PLUG Quantity to Bid 5 EACH Bid Price

AS BRENT MODEL B

21481 BENCH, ART, 4 WORK STATION WITH LOCKS CONSISTS OF SEALER WITH MULTIPLE COATS FURNITURE DOVETAIL JOINT CONSTRUCTION DIMENSIONS 64"W x 54"D x 33 1/4" HIGH (WITH OF CLEAR HOT LACQUER. OVERALL SELF-CLOSING 3/8" INSET HINGES. FINISH FRONT & BACK MOUNTED WITH HEAVY DUTY DOORS SHALL BE 3/4" BIRCH VENEERED ON CONSTRUCTION. DRAWERS CONSTRUCTED PANEL SIDE UTILIZING MORTISE/TENON JOINT END. BASE CONSTRUCTED OF HARD MAPLE END AND A DOUBLE DOOR CUPBOARD APPROXIMATELY 30 X 26 X 2 ID) AT ONE 35" 35"W x 48"D x 31"H WITH 7 DRAWERS (EACH CYLINDER LOCKS. BASE CONSISTS OF 1 UNIT & DOORS INCLUDE PULLS & MASTER KEYED UNIT WITH 7 DRAWERS & 2 DOOR SECTION WITH WOOD FRONT USING STANDARD OR OAK FRAMING WITH 3/4" BIRCH PLYWOOD WITH 2 ADJUSTABLE SHELVES. ALL DRAWERS ADJUSTABLE SHELVES AT THE OTHER 35" (APPROXIMATELY 16" DEEP) HAVING (QTY-2) NCLUDED). UNIT CONSISTS OF 1 WOOD BASE (NATURAL MAPLE OR OAK FINISH TOP NOT

24

EACH

ONLY Hann LCB-3130

Item Specification

Art Equipment

Bid No: 4081

From: 10/15/2019

08/21/2019

To: 10/14/2020 Page 6 of 11

5030

Cycle No: 10

Company Name:

	Group/ Seq No
21482 TOP FOR ITEM #21481, 2 1/4" THICK NATURAL MAPLE FINISH 64"W x 54"D x 2/14" THICK. DEEP CONSTRUCTED OF SELECT NORTHERN HARD MAPLE, MAXIMUM LENGTH LAMINATED MAPLE STRIPS TO A FULL 2/14" THICK. ELECTRONICALLY WELDED GLUE JOINTS FITTED WITH THREE 3/8" COLD ROLLED BOLTS THROUGH BODY OF THE TOP FOR ADDITIONAL STRENGTH. TOP FINISH CONSISTS OF MULTIPLE COATS OF ROUGH WEAR RESISTANT NON TOXIC DURA KRYL #102 FINISH. OVERALL DIMENSIONS 64"W x 54"D x 2 1/4" THICK.	Item/ Whse/ Old Description
24 EACH	Quantity to Bid
ACH H	Bid Unit
	Unit Price
	Brand
	Model
	Specification Deviations

*ONLY BOLLY BLOCK MTP-01 WILL BE ACCEPTED AT THIS TIME

21496 PUG MILL, 15" X 24" X 54", 115V, 11 AMP, 3/4 PH MOTOR, 7 X 7 HOPPER OPENING, 4 1/4" EXTRUSION DIAMETER, 1/4 HP VACUUM PUMP AND SAFETY SHUT OFF SWITCH. WHEEL STAND ORDERED SEPARATELY.

EACH

AS BLUEBIRD BL800

21497 WHEEL STAND FOR ITEM #21496

EACH

AS BLUEBIRD BLSTAND

Item Specification

Art Equipment

Bid No: 4081

Cycle No: 10

From: 10/15/2019 <u>10:</u> 10/14/2020

Page 7 of 11 08/21/2019

5030

Company Name:

	Group/ Seq No
24474	Item/ Whse/ Old
24474 LIGHT, TABLE, STEEL TRACING TABLE, LIGHT BOX ADJUSTS FROM 0 DEGREES TO 42 DEGREES AND CAN BE READILY REMOVED FROM THE BASE AND PLACED ATOP A DESK OR OTHER WORK SURFACE, SELF STORING, TILT ARM SWINGS OUT TO INCLINE THE BOX AT AN IDEAL 7 DEGREE WORKING ANGLE, INCLUDES 10' CORD, BASE 36 1/2" H	Description
N	Quantity to Bid
2 EACH	Bid Unit
	Unit Price
	Brand
	Model
	Specification Deviations

AS PORTA TRACE 2436-4TLED

26603 DRYING RACK, 30 LARGE SHELVES, WIRE SUPPORTS, BAKED ENAMEL TO RESIST RUST AND SOLVENTS, CAN SIT EITHER ON TABLE OR FLOOR, 19 1/2" X 17" X 37"H, SHELF SIZE IS 12" X 18" WITH 6" X 10" MESH	AS NORTH STAR NS551	24487 SLAB ROLLER, 30", SLAB ROLLER WITH 2 1/2" ROLLS, 4' STEEL WORK TABLE, TABLE TOP, CANVAS, HARDWARE, CRANK AND WAGON WHEEL HANDLES.	
2 EACH		1 EACH	

MILL, OUTPUT 1200 LBS PER HOUR, 1 HP MOTOR, 12.8 AMPS, 60 HZ, 115 VOLT MOTOR, VACUUM PUMP: 5 AMP, 115 VOLTS, PLUGS INTO STANDARD 115 VOLT GROUNDED OUTLET-PROTECTED AGAINST OVERLOADS, 18" H, 24" W, 57" L, HOPPER IS 7" X 7" AND SAFETY SHUT OFF SWITCH.

26687 PUGMILL, BLUEBIRD POWERSTAR, MID-SIZED

1 EACH

AS SAX ARTS DR-18-30

AS BLUEBIRD; BAILEY C119-009

Item Specification

Art Equipment

Cycle No: 10 **Bid No:** 4081

From: 10/15/2019

08/21/2019

5030

To: 10/14/2020

Page 8 of 11

Company Name:

	- The state of the						
Group/ Item/ Group/ Whse/ Seq No Old	Description	Quantity to Bid	Bid Unit	Unit	Brand	Model	Specification Deviations
28900	300 SLAB ROLLER, 24", SLAB ROLLER WITH 2 1/2" ROLLS, COMPLETE WITH STEEL WORKTABLE, WAGON WHEEL HANDLE, CRANK HANDLE, CANVAS, MOUNTING HARDWARE AND INSTRUCTIONS.		EACH				
	AS NORTH STAR NS550						
30357	357 MAT CUTTER, LOGAN SIMPLEX PLUS 40" 27" SQUARING ARM	6	EACH				
	AS LOGAN SIMPLEX 750						
30358)58 REPLACEMENT BLADES FOR MAT CUTTER, (MCPS ITEM 30357)	o	PKG				
	AS LOGAN 270-10 SET OF 10						
30606	506 RACK, MOBILE WARE, 13 DIVISION, HEAVY DUTY ANGLE IRON, 6" CASTERS, RACK DIMENSION 34 1/2"Wx24"Dx74 1/4"H.	ω	EACH				
	AS BAILEY M402-4						
306	30609 WARE BOARDS, 1/2" AC PLYWOOD, FULL SHELF MEASURING 24"x32".	24	EACH				
	AS BAILEY M-402-18						

30610 KILN SHELF CART, 47"Hx35"Lx13"W, STEEL RODS KEEP UP TO 16 KILN SHELVES (UP TO 20"H) STORED VERTICALLY AND SEPARATED FOR LESS DAMAGE.

1 EACH

AS AMACO 11779F

Item Specification

Art Equipment

Cycle No: 10 **Bid No:** 4081

From: 10/15/2019
To: 10/14/2020

08/21/2019 Page 9 of 11

5030

Company Name:

	Group/ Seq No
30611 S	Item/ Whse/ Old D
30611 SPLASH PAN FOR POTTER'S WHEEL, ACCOMODATES LARGE BATS, 17" DIAMETER.	Description
œ	Quantity to Bid
EACH	Bid Unit
	Unit Price
	Brand
	Model
	Specification Deviations

AS AMACO 22281F

30613 VACUUM, CERAMIC DUST, HOLDS UP TO 9 GALLONS OF DRY BULK, HEPA FILTRATION SYSTEM. INCLUDES 15' HOSE,, 26' POWER CORD, AND HEPA FILTER(S)	AS BLUEBIRD BLSTAND	30612 PUGMILL STAND FOR ITEM 26687
1 EACH		1 EACH

AS UNITEC C1445 H

				31664
DEGREES, ON/OFF SWITCH.	OUTLET, ADJ THERMOSTAT FROM 150-350F	HEAVY DUTY CORD PLUGS INTO 115V AC	LIGHTWEIGHT, 1000 WATTS, 8.3 AMPS, 3-WIRE	31664 PRESS, DRYMOUNT 18 1/2"x15 1/2" PLATEN,

3 EACH

AS ELMERS SEAL 160M

EACH

AS D&K 2280

		31666
REUSABLE 26"X5 YD ROLL	PAPER TO BE USED WITH DRY MOUNT PRESS,	SEAL RELEASE PAPER, SILICONE-TREATED

10 ROLL

AS DICK BLICK D&K 928

Item Specification

Art Equipment

Bid No: 4081

Cycle No: 10

From: 10/15/2019

To: 10/14/2020 Page 10 of 11 08/21/2019

5030

Specification Deviations

Company Name:

					DRAW-BOLT REINFORCEMENT, LEGS/SHELF FINISHED SAME AS TOP.
3*					MORTISE/TENON JOINT CONSTRUCTION,
					MAPLE LEGS AND FRAME UTILIZING
					LACQUER. BASE CONSTRUCTED OF SOLID
					ROCK MAPLE, 2 1/4" THICK, FINISH CLEAR HOT
					TOP CONSTRUCTED FROM NORTHERN HARD
			18 EACH	18	31667 BENCH, FOUR PLACE CRAFT 64"WX54"DX32"H,
Model	Brand	Price	Unit	to Bid	Seq No Old Description
		Unit	Bid	Quantity	Whse/

AS MIDWEST WW4-OV

											31668
LACQUER.	OF SEALER AND MULTIPLE COATS OF HOT	ADJ SHELVES, 4-CASTERS. FINISH CONSISTS	4-DWRS, 2-SINGLE DOOR COMPARTMENT W/2	SIDES, BACK & DOOR. BASE UNIT INCLUDES	MAPLE FRAMING W/BIRCH PLYWOOD PANEL	TO TOP. BASE CONSTRUCTED OF SOLID	MOVEABLE MIRROR 28"WX22 5/8"H MOUNTED	16"WX24"DX3/4" THICK. INCLUDES OVERHEAD	48"WX24"DX3/4" THICK W/2 OUTBOARD TOPS	CONSTRUCTION OF FIBERESIN	31668 TABLE, DEMONSTRATION, MOBILE, TOP

2 EACH

AS HANN BC-148MD

34561 PRESS, DRYMOUNT COMMERCIAL 18.5"x23"
TABLE-TOP HEAT ACTIVATED FREE-FLOATING PLATEN
TEMPERATURE RANGE 150-350F DEGREES
NON-STICK SURFACE ON PLATEN
DIRECT TEMPERATURE PRECISE CONTROL
115V, 11.3 AMPS, 1350W

EACH

AS SEAL 210M

Item Specification

Art Equipment

Bid No: 4081

From: 10/15/2019
To: 10/14/2020

08/21/2019 Page 11 of 11

Cycle No: 10

Company Name:

	Group/ Seq No
39532	item/ Whse/ Old
39532 BENCH, ART, 4 WORK STATION. ALL-WELDED HEAVY GAUGE STEEL BASE WITH 12 LOCKER OPENINGS, 6 PER SIDE. INCLUDES 2 1/4" THICK	Description
2	Quantity to Bid
Each	Bid Unit
	Unit Price
	Brand
	Model
	Specification Deviations

AS MIDWEST 557167 MW12A

SOLID MAPLE TOP.

39533 ETCHING PRESS, BED PLATE 12"x24"x1/2"

Each

AS BRAND: CONRAD E-12

40 Items Sort Seq: Item number sequence within Group Number