

Item Specification

Art Equipment

Bid No: 4081

From: 02/07/2024

12/18/2023

To: 02/06/2025

Page 1 of 11

5030

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	17852	CABINET, FLAT FILE 5 DRAWER UNIT DRAWER DIMENSIONS 40 3/4"WX15 3/8"HX28 3/8"DX2" DRAWER DEPTH, ROLLERS/CORNERS 14 GAUGE, SIDES 16 GAUGE, METAL DICAST HANDLES SPECIFY COLORS: AS SAFCO #4994-C	12	EACH				
	17853	CABINET BASE, FLAT FILE, 16 GAUGE FOR ITEM #17852 AS SAFCO #4995-C	6	EACH				
	17854	CART, STOCK 3 SHELVES WITH 3" SIDES TO PREVENT OBJECTS FROM ROLLING OFF 5" RUBBER WHEEL CASTERS, OVERALL DIMENSIONS 30"L X 16"W X 32"H AS EDSAL SC3016	5	EACH				
	17855	CART STOCK, 36" X 24" X 32", CONSTRUCTED OF 16 GAUGE METAL, FINISHED IN GREY BAKED ENAMEL, 3 SHELVES WITH 3" SIDES, 5" SOFT RUBBER WHEELED CASTERS AS EDSAL SC3024	5	EACH				
	17856	CUTTER, PAPER, 30" X 30", HEAVY DUTY WITH GUIDE AND SAFETY GUARD TABLE TOP MODEL, HANDLE EQUIPPED WITH TENSION SPRING BLADE 1/8" GRADUATION MEASURING RULE AND 1/2" SQUARE MARKINGS AS INGENTO 1172	10	EACH				

Item Specification

Art Equipment

Bid No: 4081

From: 02/07/2024

12/18/2023

To: 02/06/2025

Page 2 of 11

5030

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
17857		CUTTER, PAPER, 36" X 30" FLOOR MODEL SOLID WOOD WITH LACQUER FINISH, 1/2 GRID, PRECISION RULER IN ENGLISH AND METRIC, HEAVY DUTY WITH GUIDE AND SAFETY GUARD AS INGENTO 1184	10	EACH				
17862		CUTTER, PAPER, ROTARY 37 3/4" CUTTING LENGTH. CONCEALED SELF SHARPENING CUTTING WHEEL CUTTING CAPACITY OF UP TO 14 SHEETS OF PAPER. SOLID METAL GUIDE BAR & BASE, AUTOMATICALLY CLAMPS MATERIAL TO BASE BOARD WHILE CUTTING. AS DAHLE 556	5	EACH				
17863		DOLLY, CAN, 200 LB. CAPACITY MINIMUM INSIDE DIAMETER 18 1/2" CONSTRUCTED OF HEAVY GAUGE STEEL WITH FORMED CIRCULAR RIMS AND WELDED CROSS BRACES 4 BALL BEARING SWIVEL CASTERS WITH 2" MINIMUM DIAMETER WHEELS AS RUBBERMAID 2650	4	EACH				
17866		EASEL, TABLE TOP, ALUMINUM, HOLDS 20" X 24" CANVAS AS TESTRITE 151	15	EACH				

Item Specification

Art Equipment

Bid No: 4081

From: 02/07/2024

12/18/2023

To: 02/06/2025

Page 3 of 11

5030

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
17870		<p>KILN CERAMIC TOP LOADING FLOOR MODEL FIRING CHAMBER OF 2.95 CUBIC FT. TO BE INSULATED REFRACTORY BRICK, INCLUDES DIGITAL TEMPERATURE CONTROLS LIMIT TIMER, KILN SITTER, 208V 30 AMP CAPACITY. THREE PRONG PLUG. TWO CERAMIC KILN SHELVES FOR ELECTRIC KILN 15" ROUND, EIGHT 6" POSTS & STAND. VENDOR SHALL DELIVER, UNCRATE & ASSEMBLE KILN.</p> <p>**ALL KILNS SHALL HAVE UL APPROVED PLUGS AVAILABLE EITHER 3 OR 4 PRONG. ORDERS WILL SPECIFY WHEN 4 PRONG PLUGS ARE REQUIRED</p> <p>***ONLY PARAGON TNF-82-3 WILL BE ACCEPTED AT THIS TIME</p>	20	EACH				
17871		<p>STAND, REPLACEMENT FOR ITEM #17870 18" SQUARE 10" HIGH HOLDS KILNS UP TO 250 LBS.</p> <p>AS PARAGON ST2</p>	5	EACH				

Item Specification

Art Equipment

Bid No: 4081

From: 02/07/2024

12/18/2023

To: 02/06/2025

Page 4 of 11

5030

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
17872		KILN, CERAMIC, TOP LOADING SOLID STAINLESS STEEL CASE, CAPACITY 7.05 CU. FT. OPERATES ON 208V AC SINGLE PHASE 60 CYCLES, 50 AMP. RATING W/2350 DEGREE F. ATTAINABLE, 6' 3 WIRE, 208V UL APPROVED CORD GROUNDED TO SHIELDING, EQUIPPED WITH DIGITAL CONTROLLER. 208V 2 FULL SIZE SHELVES & 2 HALF SIZE, TWELVE 2" SQUARE X 6" SHELF PROPS, 3 PRONG PLUG. UNCONDITIONALLY GUARANTEED BY MANUFACTURER AS TO PERFORMANCE & WORKMANSHIP FOR ONE YEAR FROM DATE OF INSTALLATION, GUARANTEE ALSO APPLIES TO SWITCHES & ELEMENTS. * VENDOR SHALL DELIVER, UNCRATE & ASSEMBLE KILN **ALL KILNS SHALL HAVE UL APPROVED PLUGS AVAILABLE. ***ONLY L&L JD230-EZ WITH DIGITAL CONTROLLER WILL BE ACCEPTED AT THIS TIME	20	EACH				
17877		RACK, PAPER ROLL, VERTICAL WITH 8 INDEPENDENT PAPER CUTTERS (8 ROLLS), HOLDS UP TO 36" WIDE ROLLS, HEAVY DUTY LOCKING CASTERS AS BULMAN R999	5	EACH				
17879		RACK, PAPER ROLL, HORIZONTAL WITH 8 CUTTERS, (8 ROLLS) AS BULMAN PRODUCTS R370-RKD	5	EACH				

Item Specification

Art Equipment

Bid No: 4081

From: 02/07/2024

12/18/2023

To: 02/06/2025

Page 5 of 11

5030

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	17883	WHEEL, POTTERS, W/SPLASH PAN, ELECTRIC 110 V. AC, VARIABLE SPEED, 1/3 H.P., SINGLE PHASE MOTOR, SHALL HAVE MIN. 6' 3 CONDUCTOR APPROVED CORD GROUNDED TO FRAME AND 3 PRONG GROUNDED PLUG AS BRENT MODEL B	15	EACH				
	21481	BENCH, ART, 4 WORK STATION WITH LOCKS (NATURAL MAPLE OR OAK FINISH TOP NOT INCLUDED). UNIT CONSISTS OF 1 WOOD BASE UNIT WITH 7 DRAWERS & 2 DOOR SECTION WITH 2 ADJUSTABLE SHELVES. ALL DRAWERS & DOORS INCLUDE PULLS & MASTER KEYED CYLINDER LOCKS. BASE CONSISTS OF 1 UNIT 35"W x 48"D x 31"H WITH 7 DRAWERS (EACH APPROXIMATELY 30 X 26 X 2 ID) AT ONE 35" END AND A DOUBLE DOOR CUPBOARD (APPROXIMATELY 16" DEEP) HAVING (QTY-2) ADJUSTABLE SHELVES AT THE OTHER 35" END. BASE CONSTRUCTED OF HARD MAPLE OR OAK FRAMING WITH 3/4" BIRCH PLYWOOD PANEL SIDE UTILIZING MORTISE/TENON JOINT CONSTRUCTION. DRAWERS CONSTRUCTED WITH WOOD FRONT USING STANDARD FURNITURE DOVETAIL JOINT CONSTRUCTION. DOORS SHALL BE 3/4" BIRCH VENEERED ON FRONT & BACK MOUNTED WITH HEAVY DUTY SELF-CLOSING 3/8" INSET HINGES. FINISH CONSISTS OF SEALER WITH MULTIPLE COATS OF CLEAR HOT LACQUER. OVERALL DIMENSIONS 64"W x 54"D x 33 1/4" HIGH (WITH TOP). ONLY Hann LCB-3130	24	EACH				

Item Specification

Art Equipment

Bid No: 4081

From: 02/07/2024

12/18/2023

To: 02/06/2025

Page 6 of 11

5030

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
21482		TOP FOR ITEM #21481, 2 1/4" THICK NATURAL MAPLE FINISH 64"W x 54"D x 2/14" THICK. DEEP CONSTRUCTED OF SELECT NORTHERN HARD MAPLE, MAXIMUM LENGTH LAMINATED MAPLE STRIPS TO A FULL 2/14" THICK. ELECTRONICALLY WELDED GLUE JOINTS FITTED WITH THREE 3/8" COLD ROLLED BOLTS THROUGH BODY OF THE TOP FOR ADDITIONAL STRENGTH. TOP FINISH CONSISTS OF MULTIPLE COATS OF ROUGH WEAR RESISTANT NON TOXIC DURA KRYL #102 FINISH. OVERALL DIMENSIONS 64"W x 54"D x 2 1/4" THICK. *ONLY BOLLY BLOCK MTP-01 WILL BE ACCEPTED AT THIS TIME	24	EACH				
21496		PUG MILL, 15" X 24" X 54", 115V, 11 AMP, 3/4 PH MOTOR, 7 X 7 HOPPER OPENING, 4 1/4" EXTRUSION DIAMETER, 1/4 HP VACUUM PUMP AND SAFETY SHUT OFF SWITCH. WHEEL STAND ORDERED SEPARATELY. AS BLUEBIRD BL800	3	EACH				
21497		WHEEL STAND FOR ITEM #21496 AS BLUEBIRD BLSTAND	3	EACH				

Item Specification

Art Equipment

Bid No: 4081

From: 02/07/2024

12/18/2023

To: 02/06/2025

Page 7 of 11

5030

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	24474	LIGHT, TABLE, STEEL TRACING TABLE, LIGHT BOX ADJUSTS FROM 0 DEGREES TO 42 DEGREES AND CAN BE READILY REMOVED FROM THE BASE AND PLACED ATOP A DESK OR OTHER WORK SURFACE, SELF STORING, TILT ARM SWINGS OUT TO INCLINE THE BOX AT AN IDEAL 7 DEGREE WORKING ANGLE, INCLUDES 10' CORD, BASE 36 1/2" H AS PORTA TRACE 2436-4TLED	2	EACH				
	24487	SLAB ROLLER, 30", SLAB ROLLER WITH 2 1/2" ROLLS, 4' STEEL WORK TABLE, TABLE TOP, CANVAS, HARDWARE, CRANK AND WAGON WHEEL HANDLES. AS NORTH STAR NS551	1	EACH				
	26603	DRYING RACK, 30 LARGE SHELVES, WIRE SUPPORTS, BAKED ENAMEL TO RESIST RUST AND SOLVENTS, CAN SIT EITHER ON TABLE OR FLOOR, 19 1/2" X 17" X 37"H, SHELF SIZE IS 12" X 18" WITH 6" X 10" MESH AS SAX ARTS DR-18-30	2	EACH				
	26687	PUGMILL, BLUEBIRD POWERSTAR, MID-SIZED MILL, OUTPUT 1200 LBS PER HOUR, 1 HP MOTOR, 12.8 AMPS, 60 HZ, 115 VOLT MOTOR, VACUUM PUMP: 5 AMP, 115 VOLTS, PLUGS INTO STANDARD 115 VOLT GROUNDED OUTLET-PROTECTED AGAINST OVERLOADS, 18" H, 24" W, 57" L, HOPPER IS 7" X 7" AND SAFETY SHUT OFF SWITCH. AS BLUEBIRD; BAILEY C119-009	1	EACH				

Item Specification

Art Equipment

Bid No: 4081

From: 02/07/2024

12/18/2023

To: 02/06/2025

Page 8 of 11

5030

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	28900	SLAB ROLLER, 24", SLAB ROLLER WITH 2 1/2" ROLLS, COMPLETE WITH STEEL WORKTABLE, WAGON WHEEL HANDLE, CRANK HANDLE, CANVAS, MOUNTING HARDWARE AND INSTRUCTIONS. AS NORTH STAR NS550	1	EACH				
	30357	MAT CUTTER, LOGAN SIMPLEX PLUS 40" 27" SQUARING ARM AS LOGAN SIMPLEX 750	6	EACH				
	30358	REPLACEMENT BLADES FOR MAT CUTTER, (MCPS ITEM 30357) AS LOGAN 270-10 SET OF 10	6	PKG				
	30606	RACK, MOBILE WARE, 13 DIVISION, HEAVY DUTY ANGLE IRON, 6" CASTERS, RACK DIMENSION 34 1/2"Wx24"Dx74 1/4"H. AS BAILEY M402-4	3	EACH				
	30609	WARE BOARDS, 1/2" AC PLYWOOD, FULL SHELF MEASURING 24"x32". AS BAILEY M-402-18	24	EACH				
	30610	KILN SHELF CART, 47"Hx35"Lx13"W, STEEL RODS KEEP UP TO 16 KILN SHELVES (UP TO 20"H) STORED VERTICALLY AND SEPARATED FOR LESS DAMAGE. AS AMACO 11779F	1	EACH				

Item Specification

Art Equipment

Bid No: 4081

From: 02/07/2024

12/18/2023

To: 02/06/2025

Page 9 of 11

5030

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	30611	SPLASH PAN FOR POTTER'S WHEEL, ACCOMODATES LARGE BATS, 17" DIAMETER. AS AMACO 22281F	8	EACH				
	30612	PUGMILL STAND FOR ITEM 26687 AS BLUEBIRD BLSTAND	1	EACH				
	30613	VACUUM, CERAMIC DUST, HOLDS UP TO 9 GALLONS OF DRY BULK, HEPA FILTRATION SYSTEM. INCLUDES 15' HOSE,, 26' POWER CORD, AND HEPA FILTER(S) AS UNITEC C1445 H	1	EACH				
	31664	PRESS, DRYMOUNT 18 1/2"x15 1/2" PLATEN, LIGHTWEIGHT, 1000 WATTS, 8.3 AMPS, 3-WIRE HEAVY DUTY CORD PLUGS INTO 115V AC OUTLET, ADJ THERMOSTAT FROM 150-350F DEGREES, ON/OFF SWITCH. AS ELMERS SEAL 160M	3	EACH				
	31665	TACKING IRON, USED TO TACK TISSUE INTO POSITION ON BAK OF ARTWORK, PRESET, SELF-REGULATING TEMPERATURE CONTROL. AS D&K 2280	3	EACH				
	31666	SEAL RELEASE PAPER, SILICONE-TREATED PAPER TO BE USED WITH DRY MOUNT PRESS, REUSABLE 26"X5 YD ROLL AS DICK BLICK D&K 928	10	ROLL				

Item Specification

Art Equipment

Bid No: 4081

From: 02/07/2024

12/18/2023

To: 02/06/2025

Page 10 of 11

5030

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
31667		BENCH, FOUR PLACE CRAFT 64"WX54"DX32"H, TOP CONSTRUCTED FROM NORTHERN HARD ROCK MAPLE, 2 1/4" THICK, FINISH CLEAR HOT LACQUER. BASE CONSTRUCTED OF SOLID MAPLE LEGS AND FRAME UTILIZING MORTISE/TENON JOINT CONSTRUCTION, DRAW-BOLT REINFORCEMENT, LEGS/SHELF FINISHED SAME AS TOP. AS MIDWEST WW4-OV	18	EACH				
31668		TABLE, DEMONSTRATION, MOBILE, TOP CONSTRUCTION OF FIBERESIN 48"WX24"DX3/4" THICK W/2 OUTBOARD TOPS 16"WX24"DX3/4" THICK. INCLUDES OVERHEAD MOVEABLE MIRROR 28"WX22 5/8"H MOUNTED TO TOP. BASE CONSTRUCTED OF SOLID MAPLE FRAMING W/BIRCH PLYWOOD PANEL SIDES, BACK & DOOR. BASE UNIT INCLUDES 4-DWRS, 2-SINGLE DOOR COMPARTMENT W/2 ADJ SHELVES, 4-CASTERS. FINISH CONSISTS OF SEALER AND MULTIPLE COATS OF HOT LACQUER. AS HANN BC-148MD	2	EACH				
34561		PRESS, DRYMOUNT COMMERCIAL 18.5"x23" TABLE-TOP HEAT ACTIVATED FREE-FLOATING PLATEN TEMPERATURE RANGE 150-350F DEGREES NON-STICK SURFACE ON PLATEN DIRECT TEMPERATURE PRECISE CONTROL 115V, 11.3 AMPS, 1350W AS SEAL 210M	1	EACH				

Item Specification

Art Equipment

Bid No: 4081

From: 02/07/2024

12/18/2023

To: 02/06/2025

Page 11 of 11

5030

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	39532	BENCH, ART, 4 WORK STATION. ALL-WELDED HEAVY GAUGE STEEL BASE WITH 12 LOCKER OPENINGS, 6 PER SIDE. INCLUDES 2 1/4" THICK SOLID MAPLE TOP. AS MIDWEST 557167 MW12A	2	Each				
	39533	ETCHING PRESS, BED PLATE 12"x24"x1/2" AS BRAND: CONRAD E-12	2	Each				

40 Items Sort Seq: Item number sequence within Group Number