

Item Specification
 AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025

10/02/2024

To: 01/12/2026

Page 1 of 15

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	25979	<p>Cart, Multipurpose steel utility cart. Two Roll formed shelves constructed from 20-gauge steel and legs from thick 14-gauge steel with powder coat paint finish. Tables are robotically-welded for stability, with easy-access cable holes to keep the cart clean, organized and safe. Measures 24"W x 18"D x 26"H. 25" retaining lip borders flat shelves. Rolling cart with four 4" silent roll, full swivel ball bearing casters, two with locking brake. Three-outlet, 15' UL and CSA listed electrical assembly with cord plug snap. Includes safety mat. Ships assembled. Made in the USA.</p> <p>As Luxor W26E</p>	5	Each				
	25982	<p>Cart, Multipurpose steel utility cart. Three Roll formed shelves constructed from 20-gauge steel and legs from thick 14-gauge steel with powder coat paint finish. Tables are robotically-welded for stability, with easy-access cable holes to keep the cart clean, organized and safe. Measures 24"W x 18"D x 42"H. 25" retaining lip borders flat shelves. Rolling cart with four 4 silent roll, full swivel ball bearing casters, two with locking brake. Three-outlet, 15' UL and CSA listed electrical assembly with cord plug snap. Includes safety mat. Ships assembled. Made in the USA.</p> <p>As Luxor W42E</p>	5	Each				

Item Specification
 AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025

10/02/2024

To: 01/12/2026

Page 2 of 15

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	25991	Cart, Multipurpose steel utility cart. Three Roll formed shelves constructed from 20-gauge steel and legs from thick 14-gauge steel with powder coat paint finish. Tables are robotically-welded for stability, with easy-access cable holes to keep the cart clean, organized and safe. Measures 24"W x 18"D x 34"H. 25" retaining lip borders flat shelves. Rolling cart with four 4" silent roll, full swivel ball bearing casters, two with locking brake. Three-outlet, 15' UL and CSA listed electrical assembly with cord plug snap. Includes safety mat. Ships assembled. Made in the USA. As Luxor W34E	5	Each				
	25996	Microphone Stereo Directional for Vixia-series camcorders. High-quality stereo audio recordings. Microphone attaches to camera's advanced accessory shoe for cable-free installation. Includes Furry Windmuff. As Canon 2591B002 DM-100 Directional Stereo	10	Each				
	26003	Sound System Portable. Provides 117dB of Clear Sound. Built-in Bluetooth. True AC/DC, 100-240V Power Supply / 6-8 hours on a full charge. 125W AC mode / 100W DC mode. Ceramic Compression Driver and 10" Woofer. 5V USB Charging Port. Two universal mic input jacks. Bass and treble controls. 5V USB charging port. 1/4" line input. 1/4" line output. As Anchor Liberty 2U4	10	Each				

Item Specification
AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025

10/02/2024

To: 01/12/2026

Page 3 of 15

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	26051	Screen, Multimedia Projection Tripod Screen 60" x 80" As Dalite 73634 Picture King	5	Each				
	26067	Manfrotto 028B Triman Camera Tripod with Geared Center Column "Load Capacity: 30.9 lb "Max Height: 89.4" "Min Height: 30.3" "Folded Length: 32.3" "Leg Sections: 3 "Weight: 9.2 lb "Geared Center Column "Works with 181B Dolly Only Bubble Level will be considered at this time.	5	Each				
	26087	Microphone, Cardioid with On & Off switc MIC adapter and 25' cable (M to F) As Shure 545SD-LC & 25' Cable	25	Each				
	26093	Stand for Microphone, Desk, Atlas DS-7 As Atlas DS-7	10	Each				
	26096	Stand, Microphone, Floor As Atlas MS-12C	20	Each				

Item Specification
AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025

10/02/2024

To: 01/12/2026

Page 4 of 15

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	26099	Screen, Portable, 70" x 70". Dalite VA-V Video Hilo As Dalite Model VA-V VIdео Hilo	5	Each				
	29440	Screen, Projection 70" x 70" Pull Down, Matte white surface with 6" brackets As Draper Luma 207003	10	Each				
	35161	Microphone, Wireless Lavalier Set. MT830cW Omni Condenser Lavalier Mic. ATW-T1001 UniPak Transmitter. TW-R1100 Digital Receiver. Use Up To 8 Systems Simultaneously. Balanced XLR output and unbalanced 1/4" output on receiver allows for connection to balanced microphone level inputs or unbalanced aux level inputs on mixers and sounds systems. Windscreen to help prevent pops from wind and breath Rugged build for withstanding every day wear and tear Includes clip for securing the lavalier to clothing. Level controls on transmitter and receiver. Pair indicator illuminates on receiver when synced with transmitter. AF Peak indicator on receiver monitors the input stage on the transmitter for clipping. As Audio Technica ATW 1101L	15	Each				

Item Specification
AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025

10/02/2024

To: 01/12/2026

Page 5 of 15

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	35564	Microphone, Wireless Hand Held Set. Handheld Mic Transmitter. ATW-R1100 Digital Receiver. Use Up To 8 Channels Simultaneously. -Digital 24-bit/48 kHz Wireless. Pairing switch and transmitter system ID display on transmitter for pairing with the receiver and identifying which channel is being used. Balanced XLR output and unbalanced 1/4" output on receiver allow for connection to balanced microphone level inputs or unbalanced aux level inputs on mixers and sounds systems. Level controls on transmitter and receiver. Pair indicator illuminates on receiver when synced with transmitter. AF Peak indicator on receiver monitors the input stage on the transmitter for clipping	25	Each				
		As Audio Technica ATW 1102						
	36955	Speaker PA System, Small 50 watt sound system. Up to 103 dB, Bass and Treble controls. RCA and 1/4" line inouts, MIC/Line XLR Input, RCA and line level outputs, 9.5 lbs. 1 Yr. Warranty.	10	Each				
		As Anchor AN-1000X						
	36956	Microphone, USB. Three different settings to record vocals, instrumental music, podcasts & interview. Plug-and-play /Mac & PC compatible, no additional drivers USB Output: desktop or laptop computer, CD-quality recording. Desktop stand and USB cable included with Users guide.	10	Each				
		As Blue Microphones Snowball USB Microphone						

Item Specification
AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025

10/02/2024

To: 01/12/2026

Page 6 of 15

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
37651		Speaker Monitor W/Wireless Lapel MIC, Headbank microphone, remote control body pack transmitter. Light-weight, easy to use, fills the room with your voice, move around the room with wireless microphone. Use with video projector, pc or cd/dvd player. 101 db clear sound, 16 channel uhf diversity, bass & treble controls, 30 watt amplifier, input jacks: rca line in, 1/4"line in&1/4"mic in 1/4"line out jack daisy chain multiple systems or record output remote control for volume & mute. 8.5 pounds.	10	Each				
		Only Anchor PA AN130BP-HBM60 W/WB6000 will be considered at this time.						
37654		Tripod for camera\camcorder use, quick disconnect plate.Bogen 055xdb,128rc	10	Each				
		Only Bogen 055XDB,128RC will be considered at this time.						

Item Specification
AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025

10/02/2024

To: 01/12/2026

Page 7 of 15

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
37779		<p>Camera Digital, 20.3MP 1/2.3" CMOS Image Sensor. DIGIC 6 Image Processor. 50x Optical Zoom lens. 24-1200mm (35mm Equivalent). 3.0" 461k-Dot LCD Monitor. Full HD 1080p Video Recording at 60 fps. Intelligent IS Image Stabilization. Built-In Wi-Fi with NFC. ISO 3200 and 5.9 fps Continuous Shooting. Zoom Framing Assist and Hybrid Auto. To include Lowepro Edit 110 Camcorder and Camera Bag SanDisk 256GB Extreme UHS-I microSDXC Memory Card with SD Adapter.</p> <p>Only Canon PowerShot SX740 HS Digital Camera will be considered at this time.</p>	5	Each				
38446		<p>Sound System, Portable 680W (340W + 340W) power output. Newly designed speakers (LF:10" woofer/ HF:1.4" voice coil compression driver). Detachable 10-channel mixer (4 mono/line + 6 mono / 3 stereo line). iPod/ iPhone USB connection. 1-Knob Master EQ, with virtual bass boost. High resolution SPX digital reverbs (4 types, parameter control). Onboard feedback suppressor. Great-sounding 3-band channel EQ. Switchable stereo/ mono inputs. Hi-Z (high impedance) inputs. Phantom power. Monitor and Subwoofer outputs. Optional reverb footswitch. StageLok clamps provide secure speaker mounting. To include 1 - 50 foot male to male ¼ inch speaker cable and 2 Telelock tripod speaker stands</p> <p>Only Yamaha Stagepas-600B with speaker cable and 2 Telelock speakers stands will be considered at this time.</p>	5	Each				

Item Specification
AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025

10/02/2024

To: 01/12/2026

Page 8 of 15

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	39125	Headphones for Read 180 program. Deluxe Around Ear Stereo Headphones with Boom Microphone. As Hamilton Buhl HAH7M	120	Each				
	39159	Headphones, Multimedia Stereo, for internet listening, language learning and web phone use. USB plus, adj. padded headband. Only Califone 3066-USB will be considered at this time.	5	Each				
	40119	Microphone, Vocal with On/Off Switch, As Shure SM58S	15	Each				
	40727	Testing Headset with Microphone, 7 foot cable, Noise cancelling microphone. Cyber Acoustics AC-204, As Cyber Acoustics AC-204,	10	Each				
	40853	USB Document Camera Ultra High Definition 8MP iMac OS, Windows, Chromebook Compatible for Live Demo, Web Conferencing, Distance Learning, Remote Teaching Only iPevo V4K Ultra High Definition USB Document Camera	25	Each				

Item Specification
AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: **01/13/2025**

10/02/2024

To: **01/12/2026**

Page 9 of 15

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
44072		Camera, Digital. 32.5MP APS-C CMOS Sensor, UHD 4K30p & Full HD 120p Video, DIGIC 8 Image Processor, 3" 1.04m-Dot Vari-Angle Touchscreen LCD, 45-Point All Cross-Type AF System, Up to 10-fps Shooting, ISO 100-25600, Built-In Wi-Fi and Bluetooth, EF-S 18-135mm f/3.5-5.6 IS USM Lens, Includes Onyx Ruggard 45 Shoulder Bag and SanDisk 256GB Extreme UHS-I microSDXC Memory Card with SD Adapter. Only Canon EOS 90D DSLR Camera with 18-135mm Lens with bag and memory card will be considered at this time.	5	Each				
44075		Blu-ray Player 4K UHD Playback via HDMI, Near-4K Resolution Upscaling, two USB ports to connect peripherals, Alexa & Google Assistant Control, Smartphone/tablet mirroring, Output Ports 1 x HDMI Type A, 1 x HDMI Type A (Digital Audio Only), 1 x TOSLINK Optical (Digital Audio) Only Panasonic DP-UB420 HDR 4K UHD Network Blu-ray Player will be considered at this time.	5	Each				
44076		Memory Card Reader. 1 x SD Card Slot, 1 x CompactFlash Card Slot, 1 x microSD Card Slot, 10 Gb/s USB 3.2 Gen 2 Type-C Interface, 0 Gb/s USB 3.2 Gen 2 standard so users are able to quickly offload photo and video data. Included USB Type-C cable, which also provides bus power. Write Protection, Windows and Mac Compatible, Windows 10 or later and mac OS 10.13 or later. Only to SanDisk Professional PRO-READER Multi Card Reader SDPR3A8-0000-GBAND will be considered at this time.	10	Each				

Item Specification
AUDIO AND VISUAL EQ & SUPPLIES

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
44078		Recorder, Portable. 4 x XLR Mic Inputs with Pads and +48V, Swappable X/Y Stereo Mic Capsule, 2 x XLR-1/4" Mic/Line/Hi-Z Inputs, App-Driven Touchscreen, Eight Channels of Microphone/Line Inputs, Record All Channels Live or Overdub Layers, SD Card Recording and Audio Interface Functionality, 3.5mm Outputs, Powered via AA Batteries or AC Adapter - USB bus powering is possible. To include SanDisk SanDisk 64GB Extreme PLUS UHS-I microSDXC Memory Card with SD Adapter Only Zoom H8 8-Input / 12-Track Portable Handy Recorder with memory card and adapter will be considered at this time.	5	Each				
44079		Sound System Portable. XLR, 1/4" & 3.5mm Inputs, 1/4" Output, Built-In Bluetooth Receiver, Reaches Crowds of up to 1500 People, 117 dB rechargeable lithium-ion batteries provide approximately six to eight hours of operating time on a single charge. Only Anchor Audio LIB2 Liberty 2 Portable PA system with Bluetooth will be considered at this time.	8	Each				
44080		Speaker Monitor with AN - 30 with wireless receiver, AC - 30 power cord, WB - link belt pack transmitter with 3.5 connector. HMB - Link wireless headband microphone with 3.5 connector plug. 30Watts, 100 dB, 2.5 pounds - lightweight, 3.5mm line input and output, for wireless classroom use. Only Anchor Audio AN-30U2/AC-30/WB-LINK and HBM-LINK will be considered at this time.	5	Each				

Item Specification
AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025 10/02/2024

To: 01/12/2026 Page 11 of 15

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
44082		Stand, Speaker Heavy Duty. Adjustable from 44 - 79", 150 lb Load Capacity, For 1-3/8" and 1-1/2" Sockets, easily tightened adjustment knob, A tube stop prevents accidental removal of the center tube, collar clamp ensures maximum stability at the base, closure lever for the legs is preset to the proper tension for quick setup. Only Telelock Ultimate Support TS-90B Aluminum Speaker Stand (Matte Black) will be considered at this time.	5	Pair				
45186		Mackie Thump215XT 1400W 15" Powered PA Loudspeaker System with DSP and Bluetooth "Portable PA for Live Sound Applications "2-Channel Mixer with Gain Controls "Combo XLR-1/4" Inputs + 3.5mm Aux Input "Four Application Specific Voicing Modes "Outdoor Mode for Open Air Venues "Built-In Limiters for System Protection "Feedback Eliminator and Music Ducking "BT: For Streaming, Speaker Link, Control "Use on Stand or as Floor Monitor. Only Includes Power Cord will be considered at this time	10	Each				

Item Specification
 AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025 10/02/2024

To: 01/12/2026 Page 12 of 15

Cycle No: 16

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
45187		Camera / Camcorder memory card updated "256GB Storage Capacity "A2 / UHS-I / V30 / U3 / Class 10 "Max Read Speed: 190 MB/s "Max Write Speed: 130 MB/s "Min Write Speed: 30 MB/s "Records Full HD, 3D, and 4K Video "Water / Shock / X-Ray Proof "Can Withstand Extreme Temperatures "Built-In Write-Protect Switch on Adapter "Downloadable RescuePRO Recovery Software "SDSQXAV-256G	25	Each				
44083		Tripod for Classroom Camera/Camcorder Use, With Quick Disconnect Plate, Load Capacity: 22 lbs., Max Height: 69.1, Min Height: 2.2", Folded Length: 29.1". Only Manfrotto MK290DUA3-3WUS 290 Dual Aluminum Tripod with 3-Way Pan/Tilt Head will be considered at this time	10	Each				
45179		Professional Gaffer Tape - Permacel/Shurtape P-672 (2" x 50 yd, Black)	15	Each				
45180		Warm Audio Pro Series XLR Cable - XLR - M to XLR - F (50'): "For Balanced XLR Connections "For Mic- and Line-Level Gear "Ensures High-Quality Sound "cable length of 50 - Wire Gauge - 23 AWG Only - Warm Audio Pro Series XLR Cable - XLR - M to XLR - F (50') will be considered at this time	10	Each				

Item Specification
AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025 10/02/2024

To: 01/12/2026 Page 13 of 15

Cycle No: 16

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
45181		Warm Audio Pro Series XLR Cable XLR - M to XLR - F (25')	10	Each				
		"For Balanced XLR Connections "For Mic- and Line-Level Gear "Ensures High-Quality Sound "cable length of 25 Wire Gauge - 23 AWG Only Warm Audio Pro Series XLR Cable XLR - M to XLR - F (25') will be considered at this time						
45182		Canon XA75 UHD 4K30 - 2 x BP828 Battery + BP820 Charger	8	Each				
		"1" CMOS Sensor, DIGIC DV 6 Processor "Up to UHD 4K30 Video Recording "Mini-HDMI and 3G-SDI Outputs "Integrated 15x Optical Zoom Lens "Dual XLR and Mic/Line Audio Input "USB Type-C Output with UVC Support "5-Axis Optical Image Stabilization "Dual-Pixel CMOS Autofocus Feature "Dual SD Relay and Simultaneous Recording "3.5" Touchscreen LCD, Tilttable OLED EVF "Includes Onyx Ruggard 45 Shoulder Bag and SanDisk 256GB Extreme UHS-I microSDXC Memory Card with SD Adapter Only Canon XA75 UHD 4K30 Camcorder - considered at this time						

Item Specification
AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025 10/02/2024

To: 01/12/2026 Page 14 of 15

Cycle No: 16

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
45183		Canon Vixia HF G70 UHD 4K Camcorder "1/2.3" UHD 4K CMOS Sensor "Record up to UHD 4K30 Video "DIGIC DV 6 Image Processor "29.3 to 627mm, 20x Optical Zoom in 4K "Dual SD Card Slots, 5-Axis Stabilization "USB-C for Live Streaming with UVC "3.5" Touchscreen LCD, Tilttable 0.36" EVF "Includes Onyx Ruggard 45 Shoulder Bag and SanDisk 256GB Extreme UHS-I microSDXC Memory Card with SD Adapter Only Canon Vixia HF G70 UHD 4K Camcorder - considered at this time	8	Each				
45184		Panasonic HC-WXF1 UHD 4K Camcorder with Twin & Multicamera Capture "UHD 4K Video at 24 & 30 fps/26MP Stills "Twin Camera & Wireless Multicam Options "1/2.5" Back-Illuminated MOS Sensor "Viewfinder & 3" LCD Display "24x Leica Optical Zoom with Manual Ring "Quick-Access Function Buttons "32x 4K & 48x HD Intelligent Zoom "Three OIS Stabilizer Systems "Active-Contrast & HDR Modes "5.1-Channel Wind-Shielded Zoom Mic "Includes Onyx Ruggard 45 Shoulder Bag and SanDisk 256GB Extreme UHS-I microSDXC Memory Card with SD Adapter Only - Panasonic HC-WXF1 UHD 4K Camcorder will be considered at this time	8	Each				

Item Specification
 AUDIO AND VISUAL EQ & SUPPLIES

Bid No: 7004

From: 01/13/2025 10/02/2024

To: 01/12/2026 Page 15 of 15

88000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
45185		Canon PowerShot G7 X Mark III Digital Camera	8	Each				
		"20.2MP 1" Stacked CMOS Sensor						
		"DIGIC 8 Image Processor						
		"4.2x Optical Zoom f/1.8-2.8 Lens						
		"24-100mm (35mm Equivalent)						
		"3.0" 1.04m-Dot Tilting Touchscreen LCD						
		"UHD 4K30p and Full HD 120p Video						
		"20-fps Shooting, 30-fps Raw Burst Mode						
		"Built-In Bluetooth and Wi-Fi						
		"To include Lowepro Edit 110 Camcorder and						
		Camera Bag and SanDisk 256GB Extreme UHS-I						
		Only MicroSDXC Memory Card with SD Adapter will						
		be considered at this time.						

42 Items Sort Seq: Document Sequence No. within Group Number