Montgo	omery	County Public Schools <mark>Summa</mark> AU	<u>ry of Contrac</u> DIO AND VISUA			<u>Bid 70</u> Cycle No: 1	Page 1 of '
			Term of Contract: 01/1	3/2025 <u>To:</u>	01/12/2026 <u>Buyer:</u> Sa	udy Espinal	Phone: (240) 740-7537
Group In Number N	tem Number	Description	Unit	Unit Price	Brand	Model	Vendor Name
1	39125	Headphones for Read 180 program. Deluxe Around Ear Stereo Headphones with Boom Microphone.	Each	13.14	TECHPROTECTUS TP-H13H-3.5MM	TP-H13H-	525 TECHNOLOGIES
	25996	Microphone Stereo Directional for Vixia-series camcorders. High-quality stereo audio recordings. Microphone attaches to camera's advanced accessory shoe for cable-free installation. Includes Furry Windmuff.	Each	188.00	CANON	259IB002	B & H FOTO & ₃₂₄₁₂ ELECTRONICS CORP
	26051	Screen, Multimedia Projection Tripod Screen 60" x 80"	Each	109.00	DALITE	T100UWV1	B & H FOTO & 32412ELECTRONICS CORP
		As Dalite 73634 Picture King					
	26067	Manfrotto 028B Triman Camera Tripod with Geared Center Column	Each	399.00	MANFROTTO	028B	B & H FOTO & 32412ELECTRONICS CORP
		"Load Capacity: 30.9 lb "Max Height: 89.4" "Min Height: 30.3" "Folded Length: 32.3" "Leg Sections: 3 "Weight: 9.2 lb "Geared Center Column "Works with 181B Dolly "Bubble Level "Only will be considered at this time.					
	26087	Michrophone, Cardioid with On & Off switc MI adapter and 25' cable (M to F)	c Each	107.59	SHURE Shure 545SD-LC & 25' Cable	545SD-LC	B & H FOTO & 32412ELECTRONICS CORP
		As Shure 545SD-LC & 25' Cable					
	26093	Stand for Microphone, Desk, Atlas DS-7	Each	34.99	ATLAS	DS-7	B & H FOTO &
		As Atlas DS-7					32412ELECTRONICS CORP
	26096	Stand, Microphone, Floor As Atlas MS-12C	Each	49.00	ATLAS	MS-12C	B & H FOTO & 32412ELECTRONICS CORP
	26099	Screen, Portable, 70" x 70". Dalite VA-V Video Hilo As Dalite Model VA-V Vlideo Hilo	e Each	429.99	DALITE	75851	B & H FOTO & ₃₂₄₁₂ ELECTRONICS CORP

	AU	DIO AND VISUA	AL EQ & SI	UPPLIES		<u>Cycle No: 10</u>	<u>6</u> Page 2 of 8800
		Term of Contract: 01	/ 13/2025 <u>To:</u>	01/12/2026	<u>Buyer:</u> Sau	dy Espinal	Phone: (240) 740-7537
roup Item umber Number	Description	Unit	Unit Price	Bran	d	Model	Vendor Name
35161	Microphone, Wireless Lavalier Set. MT830cW Omni Condenser Lavalier Mic. ATW-T1001 UniPak Transmitter. TW-R1100 Digital Receiver Use Up To 8 Systems Simultaneously. Balance XLR output and unbalanced 1/4" output on receiver.		276.66	AUDIO TEC	CHNICA	ATW 1101	B & H FOTO & 32412ELECTRONICS CORP
35564	Microphone, Wireless Hand Held Set. Mic Transmitter. ATW-R1100 Digital Receiver. Use Up To 8 Channels Simultaneously. Digital 24-bit/48 kHz Wireless. Pairing switch and transmitter system ID display on transmitter for pairing with receiver to identify which channe is being used.	r	242.07	AUDIO TEC	CHNICA	ATW 1102	B & H FOTO & 32412ELECTRONICS CORP
36955	system. Up to 103 dB, Bass and Treble controls. RCA and 1/4" line inouts, MIC/Line XLR Input, RCA and line level outputs, 9.5 lbs. 1 Yr. Warranty.	Each	290.70	ANCH	OR	AN-1000X	B & H FOTO & 32412ELECTRONICS CORP
36956	As Anchor AN-1000X Microphone, USB. Three different settings to record vocals, instrumental music, podcasts & interview. Plug-and-play /Mac & PC compatible, no additional drivers USB Output: desktop or laptop computer, CD-quality recording. Desktop stand and USB cable included with Users guide.		54.31	BLUE MICRO Blue Microphones		Microphone	B & H FOTO & 32412ELECTRONICS CORP
37654	disconnect plate.Bogen 055xdb,128rc Only Bogen 055XDB,128RC will be considered	Each	199.00	MANFRO MAMK290XTA32	ΟΤΤΟ	MAMK290X	B & H FOTO & 32412ELECTRONICS CORP
37779	at this time. Camera Digital, 20.3MP 1/2.3" CMOS Image Sensor. DIGIC 6 Image Processor. 50x Optical Zoom lens. 24-1200mm (35mm Equivalent). 3.0" 461k-Dot LCD Monitor. Full HE 1080p Video Recording at 60 fps. Intelligent IS Image Stabilization. Built-In Wi-Fi with NFC. ISO 3200 and 5.9 fps Continuous Shooting. Zoom Fr	Each	502.60	CANON POW SX740 HS Digital		SX740	B & H FOTO & 32412ELECTRONICS CORP
38446	Sound System, Portable 680W (340W + 340W) power output. High quality speakers (LF:10" woofer/ HF:1.4" voice coil compression driver 1 - 50 foot male to male ½ inch speaker cable and 2 Telelock tripod speaker stands.		946.41	YAMA STAGEPAS 600B		STAGEPAS	B & H FOTO & 32412ELECTRONICS CORP

<u>Bid</u> 7004

	AL		DIO AND VISUAL	EQ & S	UPPLIES	<u>Cycle No: 10</u>	Page 3 of 7	
			Term of Contract: 01/13/2	2025 <u>To:</u>	01/12/2026	Buyer: Sau	ıdy Espinal	Phone: (240) 740-7537
Group Number	Item Number	Description	Unit	Unit Price	Bra	and	Model	Vendor Name
	40119	Microphone, Vocal with On/Off Switch,	Each	91.65	SH	URE	SM58S	B & H FOTO & 32412ELECTRONICS CORP
	40727	Testing Headset with Microphone, 7 foot cabl Noise cancelling microphone. Cyber Acoustics AC-204,	e Each	12.99	CYBER A	COUSTICS	AC-204	B & H FOTO & 32412ELECTRONICS CORP
	40853	USB Document Camera Ultra High Definition 8MP ; Mac OS, Windows, Chromebook Compatible for Live Demo, Web Conferencing Distance Learning, Remote Teaching	Each g.	95.63	IPE V4K Ultra High	EVO Definition USB	V4K	B & H FOTO & 32412ELECTRONICS CORP
	44072	Camera, Digital. 32.5MP APS-C CMOS Sensor UHD 4K30p & Full HD 120p Video, DIGIC 8 Image Processor, 3" 1.04m-Dot Vari-Angle Touchscreen LCD, 45-Point All Cross-Type AF System, Up to 10-fps Shooting, ISO 100-25600, Built-In Wi-Fi and Bluetooth, EF-S 18-135mm f/3.5-5.6 IS USM Lens, Includes Onyx Ruggard 45 Shoulder	Each	1,317.96	CAI EOS 90D DSLF	NON R Camera	EOS 90D	B & H FOTO & 32412ELECTRONICS CORP
	44075	Blu-ray Player 4K UHD Playback via HDMI, Near-4K Resolution Upscaling, two USB ports t connect peripherals, Alexa & Google Assistan Control, Smartphone/tablet mirroring, Output Ports 1 x HDMI Type A, 1 x HDMI Type A (Digita Audio Only), 1 x TOSLINK Optical (Digital Audio)	nt	212.00	PANA DP-UB420 HD	SONIC R 4K UHD	DP-UB420	B & H FOTO & 32412ELECTRONICS CORP
	44076	Memory Card Reader. 1 x SD Card Slot, 1 x CompactFlash Card Slot, 1 x microSD Card Slot 10 Gb/s USB 3.2 Gen 2 Type-C Interface, 0 Gb USB 3.2 Gen 2 standard so users are able to quickly offload photo and video data. Included USB Type-C cable, which also provides bus power. Write Protection,		69.99	SANDISK	PROFESS	PRO-READ	B & H FOTO & 32412ELECTRONICS CORP
	44078	Recorder, Portable. 4 x XLR Mic Inputs with Pads and +48V, Swappable X/Y Stereo Mic Capsule, 2 x XLR-1/4" Mic/Line/Hi-Z Inputs, App-Driven Touchscreen, Eight Channels of Microphone/Line Inputs, Record All Channels Live or Overdub Layers, SD Card Recording and Audio Interface Functionality, 3.5mm Outputs, Powered	Each	299.99	ZO	ОМ	H8 8-INP	B & H FOTO & 32412ELECTRONICS CORP
	44082	Stand, Speaker Heavy Duty. Adjustable from 44 - 79", 150 lb Load Capacity, For 1-3/8" and 1-1/2" Sockets, easily tightened adjustment knob, A tube stop prevents accidental remov of the center tube, collar clamp ensures maximum stability at the base, closure lever f the legs is preset to the proper tension for	rali rali	77.99	TELE	LOCK	TS-90B	B & H FOTO & 32412ELECTRONICS CORP

Bid 7004

		AUI	DIO AND VISU	AL EQ & SI	JPPLIES	<u>Bid 70</u> Cycle No: 1	Page 4 of 7
			Term of Contract: 01	l/ 13/2025 <u>To:</u>	01/12/2026 <u>Buyer:</u> Sa	audy Espinal	Phone: (240) 740-7537
Group	Item			Unit			
Number	Number	Description	Unit	Price	Brand	Model	Vendor Name
	44083	Tripod for Classroom Camera/Camcorder Use With Quick Disconnect Plate, Load Capacity: 22 Ibs., Max Height: 69.1, Min Height: 2.2", Folded Length: 29.1".	, Each	219.00	MANFROTTO MK290DUA3-3WUS	MK290DUA	B & H FOTO & 32412ELECTRONICS CORP
	45179	Professional Gaffer Tape - Permacel/Shurtape P-672 (2" x 50 yd, Black)	Each	28.71	PERMACEL/SHURTA	P-672	B & H FOTO & 32412ELECTRONICS CORP
	45180	Warm Audio Pro Series XLR Cable - XLR - M to XLR - F (50'):	Each	51.99	WARM AUDIO PRO	XLR	B & H FOTO & 32412ELECTRONICS CORP
		"For Balanced XLR Connections "For Mic- and Line-Level Gear "Ensures High-Quality Sound "cable length of 50 - Wire Gauge - 23 AWG "Only - Warm Audio Pro Series XLR Cable - XLR - M to XLR - F (50') will be considered					
	45181	Warm Audio Pro Series XLR Cable XLR - M to XLR - F (25')	Each	40.99	WARM AUDIO PRO	XLR	B & H FOTO & 32412ELECTRONICS CORP
		"For Balanced XLR Connections "For Mic- and Line-Level Gear "Ensures High-Quality Sound "cable length of 25 Wire Gauge - 23 AWG					
	45182	Canon XA75 UHD 4K30 - 2 x BP828 Battery + BP820 Charger	Each	2,574.00	CANON XA75 UHD 4K30	XA75 UHD	B & H FOTO & 32412ELECTRONICS CORP
		"1" CMOS Sensor, DIG!C DV 6 Processor "Up to UHD 4K30 Video Recording "Mini-HDMI and 3G-SDI Outputs "Integrated 15x Optical Zoom Lens "Dual XLR and Mic/Line Audio Input "USB Type-C Output with UVC Support "5-Axis Optical Image Stabilization					
	45183		Each	976.93	CANON	HF G70	B & H FOTO & 32412ELECTRONICS CORP
		"1/2.3" UHD 4K CMOS Sensor "Record up to UHD 4K30 Video "DIGIC DV 6 Image Processor "29.3 to 627mm, 20x Optical Zoom in 4K "Dual SD Card Slots, 5-Axis Stabilization "USB-C for Live Streaming with UVC "3.5" Touchscreen LCD, Tiltable 0.36" EVF "Includes Onyx R					32412

<u>Bid</u> 7004

	AUI	DIO AND VIS	UAL EQ 8	૬ ડા	JPPLIES		<u>Bid 70</u> Cycle No: 1	Page 5 of
		Term of Contract:	01/13/2025	<u>To:</u>	01/12/2026	<u>Buyer:</u> Sa	udy Espinal	Phone: (240) 740-7537
Group Item Number Number	Description	Unit		nit rice	Bra	nd	Model	Vendor Name
45184	Panasonic HC-WXF1 UHD 4K Camcorder with Twin & Multicamera Capture	Each	93	6.95	PANAS		HC-WXF1	B & H FOTO & 32412ELECTRONICS CORP
	"UHD 4K Video at 24 & 30 fps/26MP Stills "Twin Camera & Wireless Multicam Options "1/2.5" Back-Illuminated MOS Sensor "Viewfinder & 3" LCD Display "24x Leica Optical Zoom with Manual Ring "Quick-Access Function Buttons "32x 4K & 48							
45185	Canon PowerShot G7 X Mark III Digital Camero	Each	82	9.89	CANON PO	WERSHOT	MICROSDX	B & H FOTO &
	 "20.2MP 1" Stacked CMOS Sensor "DIGIC 8 Image Processor "4.2x Optical Zoom f/1.8-2.8 Lens "24-100mm (35mm Equivalent) "3.0" 1.04m-Dot Tilting Touchscreen LCD "UHD 4K30p and Full HD 120p Video "20-fps Shooting, 30-fps Raw Burst Mode "Built-In Bluetooth 							32412ELECTRONICS CORF
45186	Mackie Thump215XT 1400W 15" Powered PA Loudspeaker System with DSP and Bluetooth "Portable PA for Live Sound Applications "2-Channel Mixer with Gain Controls "Combo XLR-1/4" Inputs + 3.5mm Aux Input "Four Application Specific Voicing Modes	Each	36	9.19	MAC	KIE	HUMP215X	B & H FOTO & 32412ELECTRONICS CORF
	"Outdoor Mode for Open Air Venues "Built-In Limiters for Syst							
45187	CAMERA / CAMCORDER MEMORY CARD UPDATED	Each	2:	3.99	SAND	DISK	SDSQXAV-	B & H FOTO & 32412ELECTRONICS CORI
	"256GB Storage Capacity "A2 / UHS-I / V30 / U3 / Class 10 "Max Read Speed: 190 MB/s "Max Write Speed: 130 MB/s "Min Write Speed: 30 MB/s "Records Full HD, 3D, and 4K Video "Water / Shock / X-Ray Proof "Can Withstand Extreme Temperatures "Built-In Write-Pr							52.112

<u>Bid</u> 7004

/lontgomer		-	y of Contracts - Vendor Sequence NO AND VISUAL EQ & SUPPLIES				<u>Bid 7</u> <u>Cycle No: 1</u>	Page 6 of
		Term of Contract:	01/13/2025	<u>To:</u> 0	1/12/2026	<u>Buyer:</u> Sa	audy Espinal	<u>Phone:</u> (240) 740-7537
roup Item umber Numbe	r Description	Unit		nit ·ice	Bra	nd	Model	Vendor Name
2597	tormed shelves constructed from 20-gaug steel and legs from thick 14-gauge steel v powder coat paint finish. Tables are robotically-welded for stability, with easy-access cable holes to keep the carl clean, organized and safe. Measures 24''	ye Each with Assembled by	255 v awarded vend		LUX Audio LIB2 Liber	OR ty	W26E	NICHOLAS PIPINO & 27793ASSOCIATES INC
2600	18"D x 26"H 25" Electrical assembly . 3 Sound System Portable. Provides 117dB of Clear Sound. Built-in Bluetooth. True AC/I 100-240V Power Supply / 6-8 hours on a fu charge. 125W AC mode / 100W DC mode Ceramic Compression Driver and 10" Woo 5V USB Charging Port. Two universal mic i jacks. Bass and treble controls. 5V USB po	DC, Each JII e. Sfer. nput	1,594	4.00	ANCHOR	LIBERTY	2U4	NICHOLAS PIPINO & 27793ASSOCIATES INC
2944	40 Screen, Projection 70" x 70" Pull Down, Ma white surface with 6" brackets As Draper Luma 207003	ite Each	249	9.00	DRAPE	r luma	207003	NICHOLAS PIPINO & 27793ASSOCIATES INC
3765		e, fills ne 1 db	544	4.00	ANCI 30BT	HOR	30BT	NICHOLAS PIPINO & ₂₇₇₉₃ ASSOCIATES INC
4407	79 Sound System Portable. XLR, 1/4" & 3.5mm Inputs, 1/4" Output, Built-In Bluetooth Rece Reaches Crowds of up to 1500 People, 11 rechargeable lithium-ion batteries provide approximately six to eight hours of operat time on a single charge.	eiver, Each 7 dB e	1,164	4.00	ANC	HOR	LIB2	NICHOLAS PIPINO & 27793ASSOCIATES INC
4408	Speaker Monitor with AN - 30 with wireless receiver, AC - 30 power cord, WB - link be pack transmitter with 3.5 connector. HMB wireless headband microphone with 3.5 connector plug. 30Watts, 100 dB, 2.5 poun lightweight, 3.5mm line input and output, 1 wireless classroom use.	elt Each - Link nds -	539	9.00	ANCI AN-30U2/AC-30		AN-30U2/	NICHOLAS PIPINO & 27793ASSOCIATES INC
4519	Cart, Multipurpose utility cart shelves made of molded plastic won't chip, warp, scratch, rust, or peel, four 4" full-swivel casters (two with locking brake), A push handle molded into the top Weight capacity: 67 lbs. per shelf - 200 lbs 3- outlet electrical assembly. Dimensions: 34"H x 24" W x 18" D - Black	Asse		9.00 arded v	LUXOR/ vendor and th		WT34E-B	NICHOLAS PIPINO & 27793ASSOCIATES INC

Montgomery	County Public Schools <u>Summa</u> AU	<u>ry of Contracts - </u> Dio and visual ec			<u>Bid 70</u> <u>Cycle No: 16</u>	Page 7 of 7
		<u>Term of Contract:</u> 01/13/202	5 <u>To:</u> 0	1/12/2026 <u>Buyer:</u>	Saudy Espinal	Phone: (240) 740-7537
Group Item			Unit			
Number Number	Description	Unit	Price	Brand	Model	Vendor Name
45197	Cart, Multipurpose utility cart Will not chip, warp, rust or peel. Locking steel panels fit firmly into the special molded leg slots. A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes Weight capacity of 300 lbs. total (100 lbs. per shelf, evenly distributed) 3- outlet electrical assembly. Dimensions: 42"H x 24"W x 18"D. Black	y Assembled by awa	225.00 rded ven	LUXOR/TUFFY dor and then shipp	UCPL1E bed to schools or office	NICHOLAS PIPINO & 27793ASSOCIATES INC
39159	Headphones, Multimedia Stereo, for internet listening, language learning and web phone use. USB plus, adj. padded headband.	Each	19.76	CALIFONE	3066-USB	SCHOOL SPECIALTY 11057INC