

Item Specification

Ceiling Board & Grid System Materials

Bid No: 9015

From: 09/12/2022

10/04/2023

To: 09/11/2024

Page 1 of 3

15000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	29629	CEILING BOARD, FISSURED, NON-DIRECTIONAL 2' X 4' X 5/8" SHALL BE TWO HOUR FIRE RATED HUMIDITY, TEMPERATURE AND SAG RESISTANT EACH CARTON SHALL CONTAIN 64 SQ. FT. ONLY ARMSTRONG HUMIGUARD WILL BE CONSIDERED AT THIS TIME.	300	Carton				
	29630	CEILING BOARD, TECTUM PANELS, 1" X 2' X 4' WHITE; 4 PIECES PER CARTON	50	Carton				
	29631	CEILING BOARD, VINYL COVERED 1/2" X 2' X 4' GLP (GYPSUM LAY IN PANELS) 1.5 HOUR FIRE RATED 4 PIECES PER CARTON ONLY USG PRODUCT #3270 WILL BE CONSIDERED AT THIS TIME.	100	Carton				
	29632	GRID SYSTEM MAIN BEAM, 12' FIRE RATED 20 PIECES PER CARTON ONLY USG DXL-24 WILL BE CONSIDERED AT THIS TIME	30	Carton				
	29633	GRID SYSTEM CROSS TEES 2'; FIRE RATED; 60 PIECES PER CARTON ONLY USG DXL 216 WILL BE CONSIDERED AT THIS TIME	10	Carton				
	29634	GRID SYSTEM CROSS TEES 4'; FIRE RATED; 60 PIECES PER CARTON ONLY USG DXL 424 WILL BE CONSIDERED AT THIS TIME	100	Carton				

Item Specification
Ceiling Board & Grid System Materials

Bid No: 9015

From: 09/12/2022

10/04/2023

To: 09/11/2024

Page 2 of 3

15000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
29635		GRID SYSTEM WALL ANGLE 12"; FIRE RATED; 40 PIECES PER CARTON ONLY USG M7 WILL BE CONSIDERED AT THIS TIME	15	Carton				
29636		GRID SYSTEM TIE WIRE #12, 100#; FIRE SAFE; APPROXIMATELY 270-12' PIECES PER 50#	6	Carton				
29637		NAILS, MASONRY ANGLE; HARDEN STEEL, OIL QUENCHED, FLUTED; 3/4" OR 1" X #9	100	Pound				
29638		ARMSTRONG PERCENT OFF LIST _____ PRICE LIST MUST BE SUBMITTED WITH BID TO REDUCE POTENTIAL OF LINGERING ODORS, PLEASE DO NOT USE ARMSTRONG 1836 ESTIMATED ANNUAL USAGE \$5,000		Percnt				
29640		USG PERCENT OFF LIST _____ PRICE LIST MUST BE SUBMITTED WITH BID TO REDUCE POTENTIAL OF LINGERING ODORS, PREFER TO USE USG 2315 ESTIMATED ANNUAL USAGE \$40,000		Percnt				

Item Specification

Ceiling Board & Grid System Materials

Bid No: 9015

From: 09/12/2022

10/04/2023

To: 09/11/2024

Page 3 of 3

15000

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	29641	MISCELLANEOUS CEILING BOARD & GRID SYSTEM ACCESSORIES		Perct				
		PERCENT OFF LIST _____ PRICE LIST MUST BE SUBMITTED WITH BID ESTIMATED ANNUAL USAGE \$5,000						

12 Items Sort Seq: Item number sequence within Group Number