

Invitation for Bid # 9340.7,  
Hot Mix Asphalt Replacement at Various Facilities

**Erratum/Addendum #1**

November 15, 2022

1. Please note the following changes to above-mentioned Invitation For Bid:

Under **DETAILED SPECIFICATIONS D. HOT MIX ASPHALT REQUIREMENTS**, please note the following changes:

2. Base Courses:

Base course lift (individual layers) shall be a thickness of 3" compacted.

- a. Non-Bus, Play Areas and Walkways Use: Aggregate Size - 19.0 mm  
Binder - PG 64-22  
Compaction - 92-97%
- b. Bus or Heavy Equipment Use: Aggregate Size - 25.0 mm  
Binder - PG 70-22  
Compaction - 92-97%

2. All other terms and conditions remain the same.

3. Date and time set for receipt of responses remain the same November 21, 2022 a 2:00 P.M.



Angela McIntosh-Davis, CPPB, Director  
Division of Procurement

AMD:lab

Please indicate your receipt of this notice by signing below and return with your bid or under separate cover.

Maryland's Largest School District

# MONTGOMERY COUNTY PUBLIC SCHOOLS

*Expanding Opportunity and Unleashing Potential*

**PROCUREMENT UNIT**

Received: \_\_\_\_\_  
Name and Title

Signature \_\_\_\_\_

Name of Company: \_\_\_\_\_